Product data sheet

TS 1500



Overhead door closer with link arm for single leaf doors of up to 1100 mm leaf width with adjustable closing speed

AREAS OF APPLICATION

- Right and left single-action doors for interior use
- Single-action doors up to 1100 mm leaf width
- Door leaf installation hinge side and transom installation opposite hinge side

GEZE GmbH | Reinhold-Vöster-Straße 21–29 | D-71229 Leonberg | **TEL** +49 7152 203-0 | **WEB** www.geze.de | **Mail** info.de@geze.com

2026-10-24T03:20:29Z

TS 1500

PRODUCT FEATURES

- Variable closing force of EN 3 or EN 4 by reversing the bearing block
- Can be used for right and left hand doors without conversion
- Hydraulic latching action which accelerates the door shortly before it is closed
- Closing speed can be individually adjusted

TECHNICAL DATA

Productname	TS 1500
Closing force in accordance with EN 1154	EN 3/4
Barrier-free in accordance with DIN 18040 up to leaf width (max.) in mm	1100 mm
Leaf width (max.)	1100 mm
Type of installation	Door leaf installation hinge side, Transom installation opposite hinge side
Opening angle (max.)	180 °
Closing force adjustable	Yes, via installation
Adjustable closing speed	Yes
Latching action adjustable	Yes, via link arm
Smoke switch integrated	No

VARIANTS / ORDER INFO

Designation	Description	Colour	Closing force in accordance with EN 1154	DIN direction	Leaf width (max.)
GEZE TS 1500	with normal link arm	according to RAL	EN 3/4	left / right	1100 mm
GEZE TS 1500	with normal link arm	silver-coloured	EN 3/4	left / right	1100 mm
GEZE TS 1500	with normal link arm	dark bronze	EN 3/4	left / right	1100 mm
GEZE TS 1500	with normal link arm	white RAL 9016	EN 3/4	left / right	1100 mm

TS 1500

PART

LINK ARM TS 1500 / 1000 C

With mechanical hold-open device



Designation	Description	Ident-No.	Colour	Hold-open point min.	Hold-open point max.
Link arm TS 1500/1000 C/F	With mechanical hold-open device	101817	white RAL 9016	70 °	150 °
Link arm TS 1500/1000 C/F	With mechanical hold-open device	101815	silver-coloured	70 °	150 °
Link arm TS 1500/1000 C/F	With mechanical hold-open device	119538	black RAL 9005	70 °	150 °
Link arm TS 1500/1000 C/F	With mechanical hold-open device	101818	according to RAL	70 °	150 °

LINK ARM TS 1500 / 1000 C

Standard link arm



Designation	Description	Ident-No.	Colour	EAN
Link arm TS 1500/1000 C *	Standard	101882	according to RAL	4042938018821
Link arm TS 1500/1000 C *	Standard	101881	white RAL 9016	4042938018814
Link arm TS 1500/1000 C	Standard	101878	silver-coloured	4042938018784
Link arm TS 1500/1000 C	Standard	119576	black RAL 9005	4042938195768
Link Arm Silver TS 1000 C/1500 CN (188145) *	Standard	188145	silver-coloured	4042938881456

CLOSER BODY TS 1500

Main body for overhead door closer with link arm EN3 or EN4



TS 1500

Designation	Description	Ident-No.	Colour	Closing force in accordance with EN 1154	Dimensions
GEZE TS 1500 door closer	In use with link arm: Size EN 3/ 4 ; in use with guide rail: closing force EN 1 ; supplied without link arm / guide rail	101794	white RAL 9016	EN 3/4	177 x 39 x 50 mm
GEZE TS 1500 door closer	In use with link arm: Size EN 3/ 4 ; in use with guide rail: closing force EN 1 ; supplied without link arm / guide rail	119575	black RAL 9005	EN 3/4	177 x 39 x 50 mm
GEZE TS 1500 door closer	In use with link arm: Size EN 3/ 4 ; in use with guide rail: closing force EN 1 ; supplied without link arm / guide rail	101793	dark bronze	EN 3/4	177 x 39 x 50 mm
GEZE TS 1500 door closer	In use with link arm: Size EN 3/ 4 ; in use with guide rail: closing force EN 1 ; supplied without link arm / guide rail	101875	according to RAL	EN 3/4	177 x 39 x 50 mm
GEZE TS 1500 door closer	In use with link arm: Size EN 3/ 4 ; in use with guide rail: closing force EN 1 ; supplied without link arm / guide rail	101792	silver-coloured	EN 3/4	177 x 39 x 50 mm

ACCESSORIES

COVER CAP DOOR CLOSER

For TS 1500, can only be used for door leaf installation



Designation	Description	Ident-No.	Colour	Dimensions	EAN
Cover cap door closer	For TS 1500, can only be used for door leaf installation	080147	silver-coloured	188 x 47 x 57.5 mm	4106030801474
Cover cap door closer	For TS 1500, can only be used for door leaf installation	080149	white RAL 9016	188 x 47 x 57.5 mm	4106030801498
Cover cap door closer *	For TS 1500, can only be used for door leaf installation	080148	dark bronze	188 x 47 x 57.5 mm	4106030801481

TS 1500

INSTALLATION MATERIAL

MOUNTING PLATE DOOR CLOSER

For TS 1500



Designation	Description	Ident-No.	Colour	Material	EAN
Mounting plate door closer *	For TS 1500	029683	dark bronze	Aluminum	4106030296836
Mounting plate door closer	For TS 1500	029682	silver-coloured	Aluminum	4106030296829
Mounting plate door closer	For TS 1500	029685	white RAL 9016	Aluminum	4106030296850
Mounting plate door closer	For TS 1500	029686	according to RAL	Aluminum	4106030296867
Mounting plate door closer *	For TS 1500	153994	EV1	Aluminum	4042938539944

* The products designated above may vary in form, type, characteristics, function, or availability depending on the country. Please get in touch with your GEZE contact person if you have any questions.